

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 11] NEW DELHI, SATURDAY, MARCH 22, 1958/CHAITRA 1, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd February, 1958

CHOLERA				SMALLPOX				PLAGUE							
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Andhra Pradesh								Bombay							
Srikakulam	121	30	Greater Boma	193	31		
Visakhapatnam	84	34	Ahmedabad	15	4		
East Godavari . . .	7	3	21	2	Amreli	86	20		
West Godavari . . .	76	46	54	11	Banaskantha	82	14		
Krishna	37	16	52	8	Baroda	55	10		
Guntur	25	14	48	13	Broach	43	6		
Nellore	132	56	39	7	Kaira	27	3		
Kurnool	30	6	46	7	Mehsana	42	5		
Cuddapah	14	6	35	9	Sabarkantha	19	3		
Anantpur	20	8	Saurat	7	2		
Chittoor	14	3	M. Saurashtra	3	3		
Warrangal	7	2	Sorath	11	5		
Adilabad	1	1	Ahmednagar	38	3		
Nizamabad	4	1	E. Khandesh	313	55		
Medak	2	1	Kolaba	6		
Nalgonda	45	14	10	1	Kolhapur	6		
Mahbubnagar . . .	122	52	Nasik	34	11		
Hyderabad	132	65	7	2	Poona	5		
TOTAL	620	278	565	140	Ratnagiri	1		
Total for w/e 15-2-58	236	97	722	155	North Satara	6		
Total for w/e 8-2-58	130	76	636	153	South Satara	7	1		
Assam								Sholapur	61	7		
Cachar	3	3	Thana	15	1	2	..		
Kamrup	1	West Khandesh	16	2		
TOTAL	4	3	Akola	57	10		
Total for w/e 15-2-58	3	1	Amravati	39	5		
Total for w/e 8-2-58	4	2	Bhandara	10	4		
Bihar								Buldhana	102	14		
"N.R."								Chanda	111	1		

Explanation of Symbols used :—C.—Cases; D.—Deaths; ..—Nil. ; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd February, 1958—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE				
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.			
Bombay—contd.								Mysore										
								"N.R."										
								Orissa										
Nagpur	24	5	Cuttack	85	95	
Wardha	41	1	Balasore	.	.	2	2	41	6	
Yeotmal	53	28	Puri	.	.	.	1	1	208	29
Aurangabad	1	1	Ganjam	.	.	3	2	440	110	
Nanded	5	2	Koraput	3	1	
TOTAL			3	..	1533	258	Mayurbhanj	58	5	
Total for w/e 15-2-58	980	174	Dhenkanal	22	7	
Total for w/e 8-2-58			"N.R."						Bolangir Patna									
Delhi								Sundergarh										
Delhi City	2	Kalahandi	21	4	
Delhi Notified Area Committee.			2	..	.	Sambalpur	14	2	
Delhi Shahdra Municipality	2	TOTAL	.	.	6	5	905	264	
TOTAL	.	.	—	—	4	2	..	—	Total for w/e 15-2-58			33	4	876	201	
Total for w/e 15-2-58	5	1	Total for w/e 8-2-58			42	10	812	235	
Total for w/e 8-2-58	5	Pondicherry									
Himachal Pradesh								TOTAL										
"N.R."								Total for w/e 15-2-58										
Kerala								Total for w/e 8-2-58										
"N.R."								Punjab										
Madhya Pradesh								"N.R."										
"N. R."								Rajasthan										
Madras								"N.R."										
Madras City	.	.	3	..	143	30	Tripura									
Chingleput	.	.	13	5	18	8	"N.R."									
South Arcot	.	.	133	77	93	24	—	..	Uttar Pradesh									
Tiruchirappalli	.	.	5	3	4	2	Agra	18	2	
Tanjore	.	.	14	3	8	1	Aligarh	25	16	
Madurai	.	.	87	35	9	1	..	.	Allahabad	17	5	
Ramanathapuram	.	.	21	8	10	3	Azamgarh	4	2	
Tirunelveli	.	.	7	4	..	1	..	.	Budaun	1	7	
North Arcot	.	.	23	15	13	6	.	..	Dehradun	2	
Salem	.	.	34	15	51	12	Deoria	.	.	—	..	9	5	
Coimbatore	.	.	33	20	51	13	Etawah	9	1	
Kanya Kumari	11	3	Faizabad	5	2	
TOTAL	.	.	373	185	411	104	Garhwal	1	
Total for w/e 15-2-58			444	239	453	144	Ghajipur	11	8	
Total for w/e 8-2-58			533	246	369	109	Gorakhpur	4	9	
Manipur								Hardoi										
TOTAL	Jalaun	5	
Total for w/e 15-2-58	Jhansi	2	1	
Total for w/e 8-2-58	Kanpur	16	5	

Explanation of symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox plague and typhus in districts in India during the week ending the 22nd February, 1958—*concl'd.*

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.				C.				D.				C.				D.				C.				D.			
Uttar Pradesh—contd.																ARRER INFORMATION																															
Lucknow																Andhra Pradesh For w/e 15-2-58																															
Meerut	4	1	Srikakulam	138	32	Visakhapatnam	88	26	East Godavari	.	9	5	12	4	West Godavari	.	64	44	66	13						
Mainpuri	5	1	Krishna	.	.	15	6	40	9	Guntur	.	.	24	7	82	10	Nellore	.	109	25	47	6	Kurnool	108	19					
Mirzapur	2	Cuddapah	.	.	6	6	37	13	Anantapur	.	.	2	1	46	6	Chittoor	.	1	..	23	5	Warangal	5				
Mathura	22	4	Adilabad	10	7	Nalgonda	3	2	Mahbubnagar	.	6	3	Hyderabad	17	3				
Muradabad	13	3	TOTAL	.	236	97	722	155	Himachal Pradesh for w/e 1-2-58																														
Sitapur	3	3	TOTAL	for w/e 8-2-58																														
Shahjhanpur	5	1	TOTAL	for w/e 15-2-58																														
Unnao	1	TOTAL	Punjab for w/e 15-2-58																														
Varanasi	9	2	Rohtak	16	Karnal	2	Ambala	12	Ferozepur	1	1			
TOTAL	220	99	Sangrur	1	TOTAL	30	3	REMARKS																				
Total for w/e 15-2-58	282	80	Cholera.—Heavy incidence of the disease was reported from the districts of Nellore, Mahbubnagar and Hyderabad in Andhra Pradesh.																																						
Total for w/e 8-2-58	285	88	Small-Pox.—Srikakulam in Andhra Pradesh, Greater Bombay, Baroda, Broach, Akola, Wardha and Yeotmal in Bombay State, Mayurbhanj in Orissa State Burdwan, Howrah and Malda in West Bengal, reported heavy incidence of the disease during the week under report. Amreli, Banaskantha, E. Khandesh, Buldhana and Chanda in Bombay; Madras; Puri and Ganjam were having the disease in an epidemic form.																																						
West Bengal																																															
Burdwan	151	29																																							
Birbhum	28	11																																							
Bankura	.	.	3	2	5																																							
Midnapur	.	.	35	20	42	19																																							
Hooghly	.	.	1	..	18	5																																							
Howrah	.	.	32	10	84	65																																							
24-Parganas	.	.	45	26	207	84																																							
Calcutta	.	.	18	9	19	17																																							
Nadia	29	12																																							
Murshidabad	103	55																																							
West Dinajpur	4	2																																							
Darjeeling	6	1																																							
Malda	53	13																																							
Purnia	4	1																																							
TOTAL	.	134	67	753	314																																							
Total for w/e 15-1-58	139	72	1020	404																																							
Total for w/e 8-1-58	191	105	590	217																																							
Grand Total for India (Excluding Bihar, H. Pradesh, Kerala, Madhya Pradesh, Mysore, Punjab, Rajasthan and Tripura)																1133	535	4418	1192																										
Corresponding Total for w/e 15-2-58																860	413	4352	1163																										
Corresponding Total for w/e 8-2-58																896	437	2701	804																										

Explanation of Symbols used :— C—Cases; D—Deaths; ..—Nil.

NEW DELHI-2 (INDIA ; }
The 17th March, 1958. }

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd February, 1958

Town	Mid.-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh														
Adoni	72	31	22.4	1	...	4	...	11	7.9	2	
Anantpur	42	18	22.3	1	...	5	1	14	17.3	...	
Anakapalli†														
Bhimavaram	41	10	12.7	6	15	19.0	2	
Chirala	48	21	22.8	4	...	9	9.8	...	
Chittoor	50	17	17.7	6	1	13	13.5	3	
Cuddapah.	46	37	41.8	3	1	7	7.9	...	
Ellore	108	25	12.0	5	2	5	7	39	18.8	7	
Gudivada.	40	12	15.6	12	5	...	1	6	7.8	...	
Guntur	168	74	22.9	3	2	9	...	57	17.6	14	
Guntakal	43	15	18.1	4	...	1	...	11	13.3	3	
Kakinada	123	51	21.6	6	1	18	7.6	4	
Kurnool	74	63	44.3	3	2	3	1	34	23.9	4	
Masulipatam	95	54	29.6	...	1	...	1	1	21	11.5	3	
Nandyal	40	10	13.0	...	1	...	1	...	1	...	6	7.8	...	
Nellore	107	43	20.9	1	5	6	...	36	17.5	3	
Praddutur.														
Rajahmundry	137	78	29.6	1	2	2	...	21	8.0	1	
Tenali	76	49	33.5	...	1	...	4	2	4	...	24	16.4	3	
Vijayanada	253	89	18.3	1	11	2	6	...	75	15.4	8	
Visakhapatnam	148	58	20.4	...	18	...	5	8	10	...	51	17.9	16	
Vizianagaram	81	30	19.3	...	6	...	1	4	2	...	30	19.3	7	
Hyderabad	1,291	817	32.9	...	1	...	17	5	10	...	108	4.4	8	
Warrangal	173	31	9.3	...	2	...	10	1	2	...	23	6.9	...	
Nizamabad	81	12	7.7	...	1	...	2	...	3	...	11	7.1	1	
Kothagudem†														
Secunderabad	188	101	27.9	2	2	8	1	34	9.4	10	
TOTAL	3,525	1,746	25.8	12	30	...	87	39	85	11	674	9.9	99	
Assam	"N.R."													
Bihar														
Bombay														
Delhi														
Delhi City	1,372	500	19.0	44	4	50	..	167	6.3	39	
New Delhi	589	319	28.2	7	..	94	8.3	3	
N.A.C. Civil Station Delhi	223	54	12.6	..	2	..	2	..	3	..	16	3.7	5	
Delhi Cantt.	62	50	41.9	1	2	1.7	..	
Delhi-Shahdara	50	66	68.6	2	..	1	..	6	6.2	1	
TOTAL	2,296	989	22.4	..	2	..	49	4	61	..	285	6.5	48	
Kerala														
"N.R."														
Madhya Pradesh														
"N.R."														

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—No information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd February, 1958.

Deaths from :—

Town	Mid. year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras													
Ambur . .	48	27	29.3	1	1	3	..	16	17.3	1
Arrupukottai . .	62	20	16.8	4	2	1	..	12	10.1	4
Bodinayakumuri †													
Chidambaram . .	43	34	41.1	1	17	20.6	3
Coimbatore . .	267	239	46.5	..	1	..	2	10	18	..	109	21.2	30
Cuddalore . .	76	33	22.6	2	2	1	2	1	22	15.1	4
Dindigul . .	100	49	25.5	9	6	24	12.5	5
Erode . .	77	54	36.5	2	1	..	5	..	28	18.9	3
Gobichetipalayam . .	48	22	23.8	6	1	2	..	14	15.2	1
Gudiyattam . .	58	17	15.2	..	3	5	6	..	24	21.5	9
Kancheepuram . .	93	43	24.0	2	7	17	..	47	26.3	13
Karaikudi †													
Karur . .	57	21	19.2	2	..	2	1	15	13.7	7
Kumbakonam . .	115	88	39.8	2	1	2	..	34	15.4	4
Madras City . .	2,011	998	25.8	..	35	..	110	59	158	3	631	16.3	177
Madurai . .	488	281	29.9	..	5	..	21	11	24	..	272	29.0	77
Mayuram . .	53	45	44.2	..	1	1	..	16	15.7	3
Malapalayam . .	43	9	10.9	1	5	6.0	2
Nagapattinam . .	62	43	36.1	2	2	3	..	22	18.5	5
Nagercoil . .	109	25	11.9	..	1	..	6	1	16	7.6	3
Ootacamund . .	53	23	22.6	1	..	2	..	14	13.7	1
Palni . .	44	35	41.4	1	1	4	..	16	18.9	5
Palayamkottai . .	48	35	37.9	1	1	..	3	1	26	28.2	4
Periykulam . .	35	29	43.1	1	..	23	34.2	4
Pollachi . .	60	27	23.4	..	1	5	3	..	23	19.9	9
Pudukottai . .	54	45	43.3	3	1	1	1	25	24.1	5
Rajapalayam . .	74	40	28.1	5	1	..	3	6	5	..	30	21.1	4
Salem †													
Srirangam . .	46	31	35.0	2	1	4	..	1	19	21.5	..
Srivikilpattur . .	45	34	39.3	5	1	1	..	16	18.5	2
Tanjore . .	133	87	34.0	6	4	5	1	53	20.7	8
Tiruchirappalli . .	276	93	17.5	1	8	9	1	61	11.5	5
Tirunelveli . .	84	37	22.9	4	1	6	..	43	26.6	9
Tiruppur †	73	44	31.3	4	..	15	10.7	3
Tiruvannamala . .	47	25	27.7	3	1	..	12	13.3	2
Tuticorin . .	121	66	28.4	2	4	14	1	39	16.8	7
Vaniyambadi . .	45	29	33.5	1	2	8	9.2	2
Vellore . .	141	91	33.6	1	12	1	49	18.1	9
Villupuram . .	42	23	28.5	3	3	..	13	16.1	4
Virudhunagar . .	57	28	25.5	3	12	11.0	1
TOTAL . .	5,288	2,870	28.2	22	49	..	191	153	318	12	1,821	17.9	435
Mysore													
Bangalore . .	1,246	307	12.8	..	18	..	11	66	99	..	295	12.3	..
Mysore . .	347	136	20.4	..	15	..	20	2	3	..	88	13.2	..
Kolar Gold Fields . .	180	81	23.4	4	1	6	..	43	12.4	..
Bellary . .	83	44	27.6	..	2	..	1	2	3	..	31	19.4	..
Davangere †													
Shimoga . .	68	28	21.4	11	12	9.2	..
Bhadravati †													
Hospet †													
Tumkur . .	51	28	28.5	3	3	3.1	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd February, 1958—*contd.*

Town	Mid-year Popn-Est. (000)	Deaths from —											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Mysore— <i>contd.</i>														
Kolar†														
Chitaldrug	37	34	47·8	7	9·8	..	
Hassan†														
Bidar	43	14	16·9	4	..	1	1	5	6·0	..	
Gulberga	101	22	11·3	2	..	2	..	9	4·6	..	
Raichur	74	3	3	..	10	7·0	..	
Belgaum	110	131	61·9	6	4	2	..	58	27·4	..	
Bitapur†														
Dharwar	85	11	6·7	1	..	7	..	17	10·4	..	
Mangalore	153	89	30·2	3	..	1	..	16	5·4	..	
Bagalkot	39	24	32·0	4	..	4	..	14	18·7	..	
Hubli†														
Gadag (Bertigere)	73	38	27·1	7	..	4	1	31	22·1	..	
TOTAL	2,690	987	19·1	..	38	..	77	75	135	2	639	12·4	..	
Orissa														
"N.R."														
Pondicherry . . .	68	57	43·6	4	4	2	1	29	22·2	14	
Punjab														
Ambala . . .	62	47	39·4	2	..	3	..	11	9·2	4	
Amritsar . . .	359	216	31·3	5	26	1	86	12·5	23	
Batala . . .	66	24	19·0	1	4	3·2	2	
Bhiwani . . .	59	45	39·7	3	1	3	..	11	9·7	3	
Ferozepur†														
Hissar . . .	41	21	26·6	1	2	4	..	7	8·9	2	
Hoshiarpur . . .	54	31	29·9	1	3	2·9	..	
Jullundur . . .	230	108	24·4	2	1	11	..	21	4·8	3	
Karnal . . .	83	32	20·1	3	1	1	..	8	5·0	1	
Ludhiana . . .	194	138	37·0	..	—	..	3	1	7	..	24	6·4	5	
Moga†														
Panipat . . .	72	48	34·7	..	—	..	1	..	1	..	6	4·3	..	
Pathankot . . .	36	25	36·1	1	1	..	3	4·3	1	
Rewari . . .	40	16	20·8	1	1	1	..	5	6·5	2	
Rohtak†														
Simla . . .	53	23	22·6	5	4·9	2	
Sonepat†														
Bhatinda . . .	45	19	22·0	..	1	2	2·3	..	
Malerkotla . . .	35	36	53·5	1	2	3·0	..	
Patiala . . .	125	61	25·4	9	1	2	..	30	12·5	10	
TOTAL	15·54	890	29·8	..	1	..	28	14	60	1	228	7·6	58	
Rajasthan														
"N.R."														

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd February, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh													
Agra	404	450	57.9	..	I	3	50	..	89	11.5	22
Allahabad	372	150	21.0	I	I	26	..	62	8.7	5
Amroha	61	64	54.6	4	I	16	..	33	26.8	10
Bahraich	49	17	18.0	2	2	..	5	5.3	..
Banaras	416	346	43.3	25	2	14	..	125	15.6	21
Banda†													
Bareilly	206	58	14.6	4	..	11	I	23	5.8	4
Basti†													
Ballia†													
Bijnor	33	19	30.0	4	I	4	..	10	15.8	4
Budaun	55	30	28.4	2	I	6	..	12	11.3	2
Bulandshahr†													
Chandauli	44	40	47.3	2	I	2	..	13	15.4	I
Dehra Dun	186	65	18.2	I	9	..	28	7.8	4
Etawah †													
Faizabad Ayodhya	94	15	8.3	..	I	..	I	..	4	..	7	3.9	..
Farukhabad-Fatehgarh	78	50	33.3	6	I	6	..	14	9.3	I
Perozabad	93	16	9.0	3	..	2	..	5	2.8	..
Ghazipur	35	20	29.7	7	..	3	..	12	17.8	..
Ghaziabad	68	25	19.1	3	..	6	4.6	..
Gonda	35	21	31.2	I	I	1.5	..
Gorakhpur	150	103	35.8	..	2	..	3	I	6	..	21	7.3	7
Hapur	65	36	28.8	7	..	I	..	9	7.2	3
Hardwar	73	31	22.1	5	..	5	..	22	15.7	4
Hathras	65	33	26.4	10	..	I	..	13	10.4	I
Jaunpur	59	20	17.6	3	..	2	..	8	7.1	I
Jhansi	132	59	23.2	22	30	11.8	7
Kanpur	810	330	21.2	..	4	..	111	22	38	8	321	20.6	34
Kasganj	34	13	19.9	3	3	4.6	..
Khurja	41	20	25.4	6	..	2	..	10	12.7	3
Koili-Aligarh	167	48	15.0	8	..	7	..	22	6.9	3
Lucknow	525	235	23.3	..	7	..	22	4	41	I	159	15.7	40
Mathura	118	55	24.2	..	7	..	11	..	4	..	24	10.6	4
Mau Nath Bhanjan†													
Meerut	198	110	29.0	11	I	12	..	31	8.1	4
Mirzapur Vindhayachal	100	53	27.6	2	2	6	..	16	8.3	5
Moradabad	165	90	28.4	I	I	17	..	30	9.5	8
Muzaffarnagar	81	33	21.2	6	12	7.7	2
Pilibhit†													
Rampur†													
Saharanpur	178	88	25.7	23	..	2	..	32	9.3	I
Sambhal†													
Sitapur†													
Shalijahanpur	112	106	49.2	14	..	7	..	31	14.4	8
TOTAL	5,302	2,849	27.9	..	22	..	328	45	309	10	1,239	12.2	209

West Bengal

"N.R."

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd February, 1958—*contd.*

Deaths from :—

Town	Mld-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<i>ARREAR INFORMATION</i>													
<i>West Bengal</i>													
<i>For w/e 11-12-58</i>													
Assansol †													
Baidyabati . . .	34	15	23.0	..	1	3	4.6	..
Bally†													
Bankhura†													
Bansberia†													
Basirhat . . .	43	10	12.1	1	1.2	..
Baranagar . . .	99	40	21.0	..	1	..	1	1	4	..	24	12.6	10
Behrampur . . .	69	59	44.5	..	4	..	2	20	15.1	1
Bhadreswar . . .	44	8	9.5	..	2	6	7.1	..
Bhatpara . . .	150	46	16.0	..	2	..	18	2	3	1	62	21.5	14
Burdwan . . .	85	22	13.5	1	..	3	..	11	6.7	..
Calcutta . . .	2,931	1,478	26.2	1	7	..	30	40	182	..	634	11.3	148
Champadanl													
Cooch-Behar†	41	25	31.8	7	8.9	..
Darjeeling . . .	39	23	30.7	1	1	6	8.0	..
English Bazar . . .	37	22	31.0	1	..	4	5.6	..
Garden Reach . . .	131	12	4.8	2	..	1	..	8	3.2	1
Halisahar . . .	43	2	2.4	1	1.2	..
Hooghly-Chinsura . . .	63	104	85.8	2	1	8	..	16	13.2	2
Howrah . . .	477	183	20.0	1	38	..	6	5	56	..	171	18.7	47
Jalpaiguri†													
Kamarhati†													
Kanchrapara . . .	104	12	6.0
Krishnagar . . .	69
Midnapur . . .	47	79	87.4	1	2	2	..	21	23.2	..
Nabadwip . . .	87	43	25.7	4	1	1	..	9	5.4	2
Naihati . . .	67	6	4.7	..	4	5	3.9	..
North Barrackpore . . .	37	8	11.3	..	1	1	..	4	5.6	..
Panihati . . .	76	1	0.7
Santipur . . .	55	26	24.6	..	2	2	..	9	8.5	5
Sehrampur . . .	92	35	19.8	4	1	5	..	17	9.6	5
Siliguri . . .	71	1	1	0.7	..
South Dum Dum . . .	114	3	1.4
South Suburban . . .	149	48	16.8	2	2	5	..	14	4.9	7
Titagarh. . .	85	25	15.3	..	2	..	12	..	4	..	19	11.6	2
Purulia . . .	52	7	7.0	1	..	1	..	3	3.0	..
Budge-Budge . . .	32	15	24.4	2	1	..	5	8.1	1
Chandarnagore . . .	58	48	43.0	..	1	1	1	..	11	9.9	3
Kharagpur . . .	79	6	4.0
TOTAL .	5,560	2,411	22.5	2	65	..	88	59	280	1	1092	10.2	248
<i>For w/e 18-1-58</i>													
Assansol†													
Baidyabati . . .	34	23	35.3
Bally . . .	71	5	3.7	1	0.7	..
Bankhura†													
Bansberia†													
Basirhat . . .	43	9	10.9	2	3	3.6	..
Baranagar . . .	99	36	19.0	1	1	3	..	14	7.4	2
Behrampur . . .	69	31	23.4	..	4	..	1	..	1	..	14	10.6	3
Bhadreswar . . .	44	4	4.7	..	1	1	2	2.4	..
Bhatpara . . .	150	29	10.1	..	1	..	18	1	9	2	69	24.0	..
Burdwan . . .	85	20	12.3	1	..	1	1	11	6.7	..
Calcutta . . .	2,931	1,361	24.2	10	6	..	31	53	178	2	650	11.6	161

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Elarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd February, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—										Total	D.R.*	L.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.														
Champadani . . .	41	12	15.3	..	1	5	6.4	..	
Cooch-Behar†														
Darjeeling . . .	39	12	16.0	5	..	1	..	13	7.4	..	
English Bazar . . .	37	4	5.6	
Garden Reach . . .	131	10	4.0	1	2	6	2.4	3	
Halisahar . . .	43	3	3.6	3	3.6	..	
Hooghly-Chinsura . . .	63	89	73.7	..	1	..	1	1	4	..	12	9.9	1	
Howrah . . .	477	177	19.3	2	35	..	7	12	33	..	156	17.1	45	
Jalpaiguri†														
Kamarhati†														
Kanchrapara . . .	104	12	6.0	
Krishnagar . . .	69	
Midnapur . . .	47	44	48.8	3	..	1	..	20	22.2	..	
Nabadwip . . .	87	40	24.0	4	1	1	..	12	7.2	2	
Naihati . . .	67	4	3.1	..	2	..	1	..	4	..	12	9.3	1	
North Barrackpore . . .	37	6	8.5	1	1	1.4	..	
Panihati . . .	76	4	2.7	6	4.1	..	
Saipur . . .	55	16	15.2	1	1	..	9	8.5	3	
Sehrampur . . .	92	27	15.3	4	2	4	..	17	9.6	5	
Siliguri . . .	71	48	35.3	1	8	5.9	..	
South Dum Dum . . .	114	2	0.9	3	..	3	1.4	..	
South Suburban . . .	149	30	10.5	1	3	5	..	13	4.5	6	
Titagarh . . .	85	12	7.4	18	..	1	..	21	12.9	4	
Purulia . . .	52	8	8.0	1	..	1	..	3	3.0	..	
Budge-Budge . . .	32	10	16.3	2	1	5	8.1	1	
Chandernagore . . .	58	47	42.1	2	5	2	15	13.5	..	
Kharagpur . . .	79	11	7.3	1	0.7	..	
TOTAL . . .	5,631	2,146	19.8	17	51	..	99	80	256	8	1,105	10.2	237	
Andhra Pradesh														
Adoni†														
Anantpur . . .	42	19	23.5	..	2	2	2	1	12	14.9	..	
Anakapalli . . .	51	23	23.4	3	1	2	1	23	23.5	8	
Bhimavaram . . .	41	38	48.2	4	9	11.4	2	
Chilrala†														
Chittoor . . .	50	19	19.8	3	..	2	..	9	9.4	1	
Cuddapah . . .	46	18	20.3	11	1	..	2	..	2	1	21	23.7	..	
Ellore . . .	108	40	19.3	4	1	18	8.7	3	
Gudivada . . .	40	25	32.5	6	4	18	23.4	2	
Guntur . . .	168	72	22.3	5	1	5	..	35	10.8	4	
Gurukul . . .	43	12	14.5	3	1	2	..	12	14.5	2	
Kakinada . . .	123	56	23.7	2	2	2	..	18	7.6	4	
Kurnool . . .	74	63	44.3	4	5	24	16.9	7	
Masulipatam . . .	95	41	22.4	..	3	..	1	2	1	..	24	13.1	6	
Nandyal . . .	40	27	35.1	3	3	..	4	1	24	31.2	2	
Nellore . . .	107	71	34.5	..	4	..	5	4	4	..	38	18.5	4	
Proddutur†														
Rajahmundry . . .	137	58	22.0	2	2	1	..	21	8.0	2	
Tenali . . .	76	39	26.7	2	1	18	12.3	4	
Vijyanada . . .	253	101	20.8	..	3	..	7	1	6	..	44	9.0	12	
Visakhapatnam . . .	148	61	21.4	..	24	..	5	7	5	..	56	19.7	11	
Vizianagaram . . .	81	32	20.5	10	6	5	..	49	31.5	11	
Hyderabad . . .	1,291	120	4.8	28	4	14	..	96	3.9	4	
Secunderabad . . .	188	104	28.8	..	1	..	2	6	14	1	56	15.5	9	
Nizamabad . . .	81	10	6.4	..	2	..	3	5	3.2	2	
Kothagudlam†														
Warrangal . . .	173	49	14.7	..	2	..	3	..	4	1	24	7.2	..	
TOTAL . . .	3,456	1,098	16.5	20	42	..	103	45	77	7	654	9.8	100	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Birth and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd February, 1958

Town	Mid-year Popn. Est. (000)	Deaths from —											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
		For w/e		8-2-58											
Bombay															
Ahmedabad . . .	970	619	33·2	..	I	..	29	12	83	..	311	16·7	89		
Ahmednagar . . .	108	55	26·5	3	5	10	..	35	16·9	5		
Amalner . . .	54	25	24·1	10	..	3	..	23	22·1	1		
Baroda . . .	266	202	39·5	..	I	..	28	..	16	I	99	19·4	14		
Barshi . . .	48	25	27·1	3	..	2	..	14	15·2	..		
Bhusawal . . .	73	30	21·4	3	5	2	15	10·7	5		
Broach . . .	68	49	37·5	9	..	6	..	22	16·8	6		
Cambay . . .	42	18	22·3	2	3	3	..	21	16·0	6		
Chalisgaon . . .	38	23	31·5	5	9	12·3	2		
Dhulia . . .	101	42	21·6	..	I	..	8	..	2	..	23	11·8	3		
Godhra† . . .	4,117	13,87	17·5	..	21	..	6	23	178	3	796	10·1	1		
Greater Bombay . . .	4,117	13,87	17·5	..	21	..	6	23	178	3	796	10·1	1		
Jalgaon . . .	88	138	81·5	5	..	7	..	34	20·1	1		
Kalyan . . .	93	16	8·9	2	..	1	..	5	2·8	1		
Kolhapur . . .	181	71	20·4	3	25	7·2	4		
Malegaon . . .	74	40	28·1	40	..	15	..	57	40·1	1		
Miraj . . .	47	8	8·9	1	1·1	..		
Nadiad . . .	78	53	35·3	2	..	1	..	18	12·0	3		
Nandurbar . . .	38	19	26·0	1	..	3	I	7	9·6	..		
Nasik . . .	151	74	25·5	..	10	..	6	2	6	..	66	22·7	12		
Navsari . . .	52	39	39·0	8	..	1	..	16	16·0	5		
Pandharpur . . .	47	44	48·7	..	1	..	3	2	3	I	17	18·8	3		
Patan . . .	49	43	45·6	3	1	5	..	18	19·1	2		
Poonat† . . .															
Sangli . . .	66	34	26·8	2	..	2	..	13	10·2	2		
Satara . . .	43	21	25·4	4	2	15	18·1	4		
Sholapur . . .	325	183	29·3	..	I	..	6	3	29	..	120	19·2	28		
Sarat . . .	270	178	34·3	23	1	24	2	126	24·3	25		
Thana . . .	73	25	17·8	2	2	19	13·5	4		
Bhavnagar . . .	171	74	22·5	23	..	14	..	67	20·4	22		
Dhoraji . . .	49	29	30·8	3	5	1	..	13	13·8	1		
Gondat† . . .															
Jamnagar . . .	138	20	7·5	2	..	1	..	17	6·4	8		
Junagarht† . . .															
Morir . . .	44	9	10·6	1	..	3	3·5	2		
Porbander . . .	68	51	39·0	9	..	3	..	16	12·2	1		
Rajkot . . .	217	55	13·2	..	7	..	16	3	11	..	70	16·8	18		
Veraval . . .	50	14	14·6	..	16	..	4	..	2	..	31	32·2	5		
Surendranagar . . .	52	10	10·0	3	7	7·0	..		
Nagpur . . .	602	426	36·8	..	I	..	45	6	14	I	248	21·4	57		
Achalpur . . .	39	32	42·7	1	..	2	..	8	10·7	2		
Akola . . .	110	80	37·8	12	3	4	..	37	17·5	8		
Amravati . . .	111	90	42·2	8	..	2	..	23	10·8	1		
Chanda . . .	45	30	34·6	2	1	3	..	14	16·2	3		
Gondia . . .	56	19	17·6	3	..	2	..	9	8·4	2		
Hingnaghat . . .	37	29	40·8	6	12	16·9	5		
Khangaon . . .	47	21	23·2	4	7	7·7	2		
Waroha . . .	51	27	27·5	2	6	6·1	1		
Ycetmal . . .	45	32	37·0	..	2	..	3	..	2	..	10	11·6	..		
Kamptec . . .	40	13	16·9	..	1	..	2	6	7·8	1		
Aurangabad . . .	81	11	7·1	..	3	..	2	..	2	..	13	8·3	3		
Lathur . . .	46	11	12·4	1	2	2·3	..		
Nanded . . .	98	23	12·2	..	6	..	3	..	1	..	11	5·8	2		
Parbhani . . .	46	7	7·9	..	6	..	1	..	1	..	9	10·2	1		
Petna . . .	80	2	5	..	11	7·2	..		
TOTAL . . .	9,883	4,574	24·1	3	80	..	373	76	471	9	2,575	13·5	520		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 22nd February, 1958 relate to 132 towns from the States of Andhra Pradesh, Delhi, Madras, Mysore, Pondicherry, Punjab, and Uttar Pradesh, with a population coverage of 20,723 thousands out of total population of 46,893 thousands in 319 towns of the country. The number of births and deaths recorded in these

towns were 10,388 and 4,915 registering birth and death rates of 26.1 and 12.3 per thousand of population respectively.

No town recorded a high death rate of 50 or over. The following table gives the registered rates for different States:—

States	Current w/c 22-2-58		Corresponding w/c last year	
	B.R.	D.R.	B.R.	D.R.
Andhra Pradesh .	25.8	9.9	23.4	12.7
Delhi . . .	22.4	6.5	26.4	8.4
Madras . . .	28.2	17.9	36.4	19.4
Mysore . . .	19.1	12.4	28.9	11.4
Pondicherry . . .	43.6	22.2	78.0	31.4
Punjab	29.8	7.6	29.9	6.5
Uttar Pradesh .	27.9	12.2	29.1	12.7
India	26.1	12.3	30.0	13.3

NEW DELHI-2 (INDIA);
The 17th March, 1958. }

II. R. SHARMA,
for Registrar General, India.

